



Das Original



Sealing materials

EWP 207

Sealing material, based on synthetic organic fibers with NBR binder. Resistant against fuel und oil.

Colour: dark grey



| | | |
|---------|-----------------------|------------|
| EWP 207 | 0,30 x 2030 x 1540 mm | on request |
| EWP 207 | 0,50 x 2030 x 1540 mm | on request |
| EWP 207 | 1,00 x 2030 x 1540 mm | on request |
| EWP 207 | 1,50 x 2030 x 1540 mm | on request |
| EWP 207 | 2,00 x 2030 x 1540 mm | on request |
| EWP 207 | 0,30 x 1015 x 1540 mm | 250.080 |
| EWP 207 | 0,50 x 1015 x 1540 mm | 255.140 |
| EWP 207 | 0,75 x 1015 x 1540 mm | 255.210 |
| EWP 207 | 1,00 x 1015 x 1540 mm | 255.220 |
| EWP 207 | 1,50 x 1015 x 1540 mm | 255.470 |
| EWP 207 | 2,00 x 1015 x 1540 mm | 255.490 |

EWP 208

Sealing material, based on synthetic organic fibers with NBR binder. Resistant against fuel und oil.

Colour: dark grey



| | | |
|---------|-----------------------|------------|
| EWP 208 | 0,50 x 2030 x 1540 mm | on request |
| EWP 208 | 0,75 x 2030 x 1540 mm | on request |
| EWP 208 | 1,00 x 2030 x 1540 mm | on request |
| EWP 208 | 1,50 x 2030 x 1540 mm | on request |
| EWP 208 | 2,00 x 2030 x 1540 mm | on request |
| EWP 208 | 0,50 x 1015 x 1540 mm | on request |
| EWP 208 | 0,75 x 1015 x 1540 mm | on request |
| EWP 208 | 1,00 x 1015 x 1540 mm | on request |
| EWP 208 | 1,50 x 1015 x 1540 mm | on request |
| EWP 208 | 2,00 x 1015 x 1540 mm | on request |

EWP 210

Sealing material, based on aramid fibers with NBR binder. Excellent oil and fuel resistance combined with good stress relaxation and high tensile strength.

Colour: green




| | | |
|---------|-----------------------|------------|
| EWP 210 | 0,30 x 2030 x 1540 mm | on request |
| EWP 210 | 0,50 x 2030 x 1540 mm | on request |
| EWP 210 | 0,75 x 2030 x 1540 mm | on request |
| EWP 210 | 1,00 x 2030 x 1540 mm | on request |
| EWP 210 | 1,50 x 2030 x 1540 mm | on request |
| EWP 210 | 2,00 x 2030 x 1540 mm | on request |
| EWP 210 | 2,50 x 2030 x 1540 mm | on request |
| EWP 210 | 0,30 x 1015 x 1540 mm | 255.640 |
| EWP 210 | 0,50 x 1015 x 1540 mm | 256.290 |
| EWP 210 | 0,75 x 1015 x 1540 mm | 256.360 |
| EWP 210 | 1,00 x 1015 x 1540 mm | 256.380 |
| EWP 210 | 1,50 x 1015 x 1540 mm | 256.420 |
| EWP 210 | 2,00 x 1015 x 1540 mm | 256.490 |
| EWP 210 | 2,50 x 1015 x 1540 mm | 256.510 |

EWP 215

Sealing material, based on aramid fibers with NBR binder. Excellent oil and fuel resistance combined with good stress relaxation and high tensile strength.

Colour: green



| | | |
|---------|-----------------------|------------|
| EWP 215 | 0,30 x 2030 x 1540 mm | on request |
| EWP 215 | 0,50 x 2030 x 1540 mm | on request |
| EWP 215 | 0,75 x 2030 x 1540 mm | on request |
| EWP 215 | 1,00 x 2030 x 1540 mm | on request |
| EWP 215 | 2,00 x 2030 x 1540 mm | on request |
| EWP 215 | 0,30 x 1015 x 1540 mm | on request |
| EWP 215 | 0,50 x 1015 x 1540 mm | on request |
| EWP 215 | 0,75 x 1015 x 1540 mm | on request |
| EWP 215 | 1,00 x 1015 x 1540 mm | on request |
| EWP 215 | 1,50 x 1015 x 1540 mm | on request |
| EWP 215 | 2,00 x 1015 x 1540 mm | on request |

EWP 330

Sealing material, based on aramid fibers with NBR/NR binder. Controlled swelling properties in oil and fuel combined with high tensile strength.

Colour: light grey



| | | |
|---------|-----------------------|------------|
| EWP 330 | 0,50 x 2030 x 1540 mm | on request |
| EWP 330 | 0,75 x 2030 x 1540 mm | on request |
| EWP 330 | 1,00 x 2030 x 1540 mm | on request |
| EWP 330 | 1,50 x 2030 x 1540 mm | on request |
| EWP 330 | 2,00 x 2030 x 1540 mm | on request |
| EWP 330 | 0,50 x 1015 x 1540 mm | on request |
| EWP 330 | 0,75 x 1015 x 1540 mm | on request |
| EWP 330 | 1,00 x 1015 x 1540 mm | on request |
| EWP 330 | 1,50 x 1015 x 1540 mm | on request |
| EWP 330 | 2,00 x 1015 x 1540 mm | on request |




EWP 408

Sealing material, based on inorganic and organic fibers with NBR binder. Excellent oil and fuel resistance combined with good stress relaxation and high tensile strength.

Colour: light grey




| | | |
|---------|--------------------------|------------|
| EWP 408 | 0,30 x 1100 x 1450000 mm | on request |
| EWP 408 | 0,50 x 1100 x 880000 mm | on request |
| EWP 408 | 0,75 x 1100 x 580000 mm | on request |
| EWP 408 | 1,00 x 1100 x 440000 mm | on request |
| EWP 408 | 1,50 x 1100 x 300000 mm | on request |
| EWP 408 | 0,30 x 1100 x 790000 mm | on request |
| EWP 408 | 0,50 x 1100 x 470000 mm | on request |
| EWP 408 | 0,75 x 1100 x 310000 mm | on request |
| EWP 408 | 1,00 x 1100 x 240000 mm | on request |
| EWP 408 | 1,50 x 1100 x 160000 mm | on request |
| EWP 408 | 0,30 x 1100 x 340000 mm | on request |
| EWP 408 | 0,50 x 1100 x 200000 mm | on request |
| EWP 408 | 0,75 x 1100 x 136000 mm | on request |
| EWP 408 | 1,00 x 1100 x 100000 mm | on request |
| EWP 408 | 1,50 x 1100 x 70000 mm | on request |
| EWP 408 | 0,30 x 1100 x 25000 mm | on request |
| EWP 408 | 0,50 x 1100 x 25000 mm | on request |
| EWP 408 | 0,75 x 1100 x 25000 mm | on request |
| EWP 408 | 1,00 x 1100 x 25000 mm | on request |
| EWP 408 | 1,50 x 1100 x 25000 mm | on request |



Abil N

Sealing material, based on cellulose fibers with glutin binder. Good dimension stability.
 Colour: dark grey



| | | |
|--------|-------------------------|------------|
| Abil N | 0,25 x 1100 x 250000 mm | on request |
| Abil N | 0,50 x 1100 x 125000 mm | on request |
| Abil N | 0,75 x 1100 x 80000 mm | on request |
| Abil N | 1,00 x 1100 x 75000 mm | on request |
| Abil N | 1,50 x 1100 x 50000 mm | on request |
| Abil N | 0,25 x 1100 x 25000 mm | 410.404 |
| Abil N | 0,50 x 1100 x 25000 mm | 410.609 |
| Abil N | 0,75 x 1100 x 25000 mm | 410.803 |
| Abil N | 1,00 x 1100 x 25000 mm | 035.883 |
| Abil N | 1,50 x 1100 x 25000 mm | 035.891 |
| Abil N | 0,25 x 500 x 5000 mm | 414.000 |
| Abil N | 0,50 x 500 x 5000 mm | 414.204 |
| Abil N | 0,75 x 500 x 5000 mm | 414.301 |
| Abil N | 1,00 x 500 x 5000 mm | 414.409 |

Coplastic 2


Cork-based soft sealing material. Ideal for sealing soft, deformable structures and for low compressive strengths. Adapts well to beads and to similar types of sealing surfaces.



| | | |
|-------------|----------------------|---------|
| Coplastic 2 | 2,00 x 530 x 1030 mm | 485.659 |
| Coplastic 2 | 2,50 x 530 x 1030 mm | 485.853 |
| Coplastic 2 | 3,00 x 530 x 1030 mm | 486.051 |

FW 522

Sealing material, based on aramidfibers with NBR binder. Excellent oil and fuel resistance combined with good stress relaxation.
 Colour: grey



| | | |
|--------|-----------------|---------|
| FW 522 | 1,25x400x800 mm | 003.620 |
| FW 522 | 1,72x400x800 mm | 003.760 |